


# CERTIFICATE

<b>Certificate holder</b>	<b>Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY</b>
<b>Production facility</b>	Eberhardzell
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	FLEX 50
<b>Testing basis</b>	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7D010
<b>Valid until</b>	2022-06-30
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.  See annex for further information.



# ANNEX

Page 1 of 1

<b>Certificate</b>	011-7D010 dated 2017-05-08
<b>Technical Data</b>	Designation code in accordance with DIN EN 13171:  WF - EN 13171 - T2-TR1-AFr5-MU1/2  Declared thermal conductivity: 0,037 W/(m*K)  Reaction to fire: Euroclass E  Thickness: 40 mm - 240 mm
<b>Testing laboratory/ Inspection body</b>	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
<b>Test report(s)</b>	9023001-160226/Pp dated 2016-02-26 9023001-160226-3/Pp dated 2016-02-26 9023001-160921/Pp dated 2016-09-21

